

S/N 2NKHHM7XX411256488

09 KW T370 Weber REI 6416



Worldwide Equipment Inc W014
P.O. Box 1433

RITCHIE EQUIPMENT INC.
MERCER MALL RD.

Princeton, West Virginia United States 24270
Phone: (304) 425-7511
Fax: (304) 425-7399
Email:

BLUEFIELD, West Virginia United States 24740
Phone:
Fax:
Contact Email:
Prepared for:

Vehicle Summary

Unit		Chassis	
Model:	T3 Series Conventional	Fr Axle Load (lbs):	10000
Type:	FULL TRUCK	Rr Axle Load (lbs)	20000
Description:	WELDER	G.C.W. (lbs):	30000
Application		Road Conditions:	
Intended Serv.:	Local pickup & delivery.	Class A (Highway)	90
Commodity:	Vehicles which haul	Class B (Hwy/Mtn)	10
	Other bulk goods	Class C (Off-Hwy)	00
		Class D (Off-Road)	00
Body		Maximum Grade:	6
Type:	Flatbed	Wheelbase (in):	164
Length (ft):	24.0	Fr Axle to BOC (in):	68
Height (ft):	12.0	Cab to Axle (in):	96
Max Laden Weight (lbs):	4000	Cab to EOF (in):	159
Trailer		Special Req.	
No. of Trailer Axles:	0	U.S. Domestic Registry, 50-State	
Type:			
Length (ft):	0.0		
Height (ft):	0.0		
Kingpin Inset (in):	0		
Corner Radius (in):	0		
Restrictions			
Length (ft):	120		
Width (in):	102		
Height (ft):	15.0		

Approved by: _____ Date: _____

Note: All sales are F.O.B. designated plant of manufacture.

PACCAR FINANCIAL	Ask your dealer for a quote today, or visit our website @ www.paccarfinancial.com .
	PACCAR Financial offers innovative finance, lease and insurance programs customized to meet your needs.

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/28/2008 7:56:15 AM	Complete	Model Number:	T3 Series Conventional
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q60601083
Prepared by:	ID: Mike Pendleton		Version Number:	19.10



Worldwide Equipment Inc W014
P.O. Box 1433

RITCHIE EQUIPMENT INC.
MERCER MALL RD.

Princeton, West Virginia United States 24270
Phone: (304) 425-7511
Fax: (304) 425-7399
Email:

BLUEFIELD, West Virginia United States 24740
Phone:
Fax:
Contact Email:
Prepared for:

Data	Code	Description	\$ List	Weight
Model				
0000310	O	T3 Series Conventional Electric Door locks LH/RH; Ignition and doors keyed alike; Single electric horn; Single-piece windshield; Electric windshield wipers 2-speed plus intermittent; Electric windshield washers; Steering wheel 18in 4-spoke; Glovebox door, with locking latch; Dash mounted cruise control with switches; Turn signal switch with column mounted dimmer; Standard dash panels include gray with burl wood accents; Slate Gray interior primary color; Dark Slate Gray seat color; Floor mat; Inside sunvisor, LH/RH; Door courtesy lights; Under-dash center console with 1 cup holder, 1 ashtray and 1 lighter;	66,470	9,469
0070006	O	T370 Class 7 Medium Duty Conventional	0	0
0080075	O	Dealer, Customer declines engine w/ CARB emission idle reduction feature	0	0
0090015	O	Medium Duty 4x2 automatic	0	0
0091080	O	Other bulk goods	0	0
0093005	O	Local pickup & delivery. Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	0	0
0095140	O	Flatbed	0	0
0098025	O	U.S. Domestic Registry, 50-State	0	0

Engine & Equipment

0120040	O	PACCAR PX-6 2007+ GOV@2600 240@2300 560@1600 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing N09020 P02 Yes...Cruise Control Auto Resume N09040 P04 No....Auto Engine Brake in Cruise N09060 P06 Yes...Gear Down Protection N09100 P11 No....Engine Protection Shtdwn N09120 P14 79...Max Vehicle Speed in Top Gea N09140 P19 65...Max Cruise Control Speed N09160 P26 1400..Max PTO Speed N09180 P10 No....Idle Shtdwn N09200 P32 8....Idle Shtdwn Time N09220 P33 No....Idle Shtdwn Override	1,321	0
---------	---	--	-------	---

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/28/2008 7:56:15 AM	Complete	Model Number:	T3 Series Conventional
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q60601083
Prepared by:	ID: Mike Pendleton		Version Number:	19.10



Data	Code	Description	\$ List	Weight
1000156	O	PROSPECTOR version 19.1X supercedes version 19.0x	0	0
1002060	S	Air compressor Cummins 18.7 CFM, ISC,ISL, ISM & ISX, PX-6 and PX-8 Teflon discharge line	0	0
1081300	O	Air Cleaner Heavy Duty with Filter Minder included. Molded rubber sleeves at all connections with Stainless steel clamps	141	9
1099301	O	Pre-filter hood mounted for air cleaner & HVAC	283	13
1121175	S	Cooling Module On-off fan hub, Nylon Fan Blade , Translucent Top Tank, Air-To-Air Heat Exchanger/Aftercooler, Silicone hoses w/Constant Torque clamps, Long Life Antifreeze, Lower radiator drain	0	0
1244141	O	Muffler/DPF RH horizontal mounted with horizontal LH exiting tailpipe PACCAR PX-6.	118	0
1323003	S	Fuel filter PACCAR PX-6 Engines only Un-Heated	0	0
1504006	O	Block heater, PACCAR PX-6 & PX-8	60	2
1812190	S	PACCAR alternator 130 amp. Brushless	0	0
1821220	S	Batteries 2 PACCAR GP31 threaded post (700) 1400 CCA dual purpose 12-VOLT LIGHT SYSTEM W/CIRCUIT PROTECTION	0	0
1836100	S	PACCAR starter 12-volt Electrical system with centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded	0	0
Transmission & Clutch				
2011122	O	Allison 3500RDS 6-speed with PTO drive gear Limited to 860 lb.-ft. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Code 2450110 is required if extended transmission warranty is desired.	9,718	291
2401405	O	Driveline 2 Standard Duty; 1 centerbearing	308	77
2410018	O	Torque converter included with Allison Transmission	0	0
2410061	O	Auto neutral for Allison	38	0
Front Axle & Equipment				
2501002	S	Front Axle 10,000 lbs. Dana Spicer E-1002I 3-1/2 inch drop	0	0
2603006	S	Front brakes included with front hub package	0	0
2659047	O	Dustshields: all front axles	51	7
2701000	S	14,600 lb. Air Brake Pkg includes 16-1/2x5 Brakes Cast Drums, Aluminum 10-Bolt Hub Pilot LMS Hubs, Hub Caps, Oil Seals & Slack Adjusters for use with 22.5 inch wheels	0	0
2862098	S	Front Springs Taperleaf 10K with shock absorbers for 22.5 inch wheels	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed: 4/28/2008 7:56:15 AM **Complete** Model Number: T3 Series Conventional
 Effective Date: Jan 1, 2008 Quote/DTPO/CO: Q60601083
 Prepared by: ID: Mike Pendleton Version Number: 19.10



Data	Code	Description	\$ List	Weight
2893651	S	Power steering gear single 13.2K TRW TAS65	0	0
Rear Axle & Equipment				
3031170	O	Single Rear Axle 21,000 lbs. Dana Spicer S21-170	550	183
3200614	O	Rear Axle Ratio - 6.14	0	0
3300000	S	Rear brake included with single rear hub package	0	0
3401001	S	23000 lb. Air Brake Pkg includes 16-1/2x7 in. Brakes, Cast Drums, Aluminum 10-Bolt Hub Pilot LMS Hubs, Slack Adjusters & Oil Seals for use with 22.5 inch wheels	0	0
3485009	S	Spring Brake 3030 high output Single	0	0
3490047	O	Dustshields: all rear axles	51	11
3495226	S	Bendix 4S/4M anti-lock brake system	0	0
3636422	O	Rear suspension single Reyco 79KB taper leaf 23K. Medium duty.	190	57
3836305	O	Rear axle stabilizer bar for Reyco 79KB	350	68
Tires & Wheels				
4079023	O	FR Bridgestone R250F 11R22.5 14PR 41.3in, all position. 19.3in SLR. F=side wall protector bar. For P&D and construction vocations.	20	11
4277724	O	RR Bridgestone M711 11R22.5 14PR 41.9in diamter. 26/32 tread depth. Open shoulder drive tire. 19.6in SLR.	40	44
4900004	O	Rear Tire Quantity: 4	0	0
5045132	O	FR wheel:Alcoa 88364 22.5x8.25 aluminum, hub pilot mount. 7400lb max rating. 'NEW GENERATION'	389	-40
5245132	O	RR wheel:Alcoa 88364 22.5X8.25 aluminum, hub pilot mount. 7400lb max rating. 'NEW GENERATION'	778	-80
5854010	O	Single front axle: Polished wheels Polished outboard surface of aluminum wheels.	49	0
5854011	O	Single rear axle: Polished wheels Polished outboard surface of outer dual or single aluminum wheels.	99	0
5900004	O	Rear Wheel/Rim Quantity: 4	0	0
Frame & Equipment				
6054250	O	Frame rails 10-5/8 x 3-1/2 x 5/16in steel to 308 in. Section modulus is 14.8cu.in. Truck frame weight is 2.90 lb in. per pair of rails. 120,000 PSI yield. Heat treated.	0	79
6308715	O	Bumper Aerodynamic Chrome. Requires a bumper setting code.	295	0
6319409	O	40.9in bumper setting. Requires a bumper code.	0	0
6321005	O	Two removable front tow hooks	108	15
6404406	S	Steel parallel battery box under with aluminum diamond plate cover with step with aluminum step brackets	0	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/28/2008 7:56:15 AM	Complete	Model Number:	T3 Series Conventional
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q60601083
Prepared by:	ID: Mike Pendleton		Version Number:	19.10



Data	Code	Description	\$ List	Weight
6409901	S	Battery box location left hand side	0	0
6679915	O	Customer installed bulkhead and,or headache rack	0	0
6742009	S	Square end-of-frame without crossmember; non-towing	0	0
Fuel Tanks & Equip				
7010056	O	Fuel tank 56 US GAL 22in aluminum under replace	37	-20
7840015	O	Polish only one aluminum tank	156	0
7889061	O	Polished stainless steel tank straps for 1 tank	28	0
7910056	O	Location: 56 gal fuel tank RH under cab	0	0
Cab & Equipment				
8024310	S	Cab: Curved Glass Conventional C500 Includes heavy duty reinforcements. Cab Includes aluminum & fiberglass fully hucked cab with all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn.	0	0
8080137	O	Cab door bearing blocks, top and bottom	28	0
8090310	S	Sloped aerodynamic hood Includes grille & separate bumper.	0	0
8108010	S	Cab heater with integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC.	0	0
8201200	O	Adjustable telescoping tilt steering column	375	9
8282009	O	Instrument package Includes speedometer,tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary and secondary air reservoir gauges and an air application gauge. Hour meter is included on all models except T2000. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	0	0
8291306	S	Warning light for parking brake Illuminated when parking brake is applied. Dash mounted.	0	0
8330003	S	Pinnacle cab interior Includes vinyl headliner and cab back panel, slate gray interior, dark slate gray seats, floormats, LH/RH inside sunvisor, and door courtesy lights.	0	0
8410081	S	DR seat KW Air Cushion Plus IB Cloth With dual armests	0	0
8480080	S	RD Seat KW Toolbox Plus IB Cloth With dual armrests.	0	0
8601404	O	KW radio AM/FM/CD/weather band with L.E.D. lighting	413	4
8700144	O	Dome lamp over driver door	18	0

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/28/2008 7:56:15 AM	Complete	Model Number:	T3 Series Conventional
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q60601083
Prepared by:	ID: Mike Pendleton		Version Number:	19.10



Data	Code	Description	\$ List	Weight
8700154	S	Self cancelling turn signal with head light dimmer switch	0	0
8800200	S	Cab access contoured grabhandles, LH/RH.	0	0
8832112	S	Daylite doors Includes RH peeper window	0	0
8841303	O	Single rectangular air horn 23in LH top of roof Includes air horn cover	103	7
8850210	S	Dual convex mirrors 7-1/2in with offset mounting	0	0
8850300	S	Single convex mirror 8-1/2in x 4-7/16in located on rider side	0	0
8862101	S	Dual Prutsman mirror 7in x 16in polished stainless steel	0	0
8869005	S	Mirror brackets; 8-1/2ft load width	0	0
8879213	O	Electric-powered LH & RH door window lifts Switch located on door	136	4
8879911	O	Two corner & one rear cab stationary windows 17.5in x 16in (two) & 17in x 36in (one)	453	24

Lights & Instruments

9010801	S	Dual headlight, low beam dual complex reflector high beam halogen	0	0
9020164	S	Five cab roof mounted marker lights	0	0
9030010	S	Fender-mounted turn signal lights	0	0
9070138	S	Combination stop, tail, turn & backup lights RH & LH	0	0
9080202	O	Switch & wiring for dual customer-installed beacon light without insulators coiled wire behind dash	39	0
9090126	O	Electric backup alarm Meets SAE J994 and OSHA requirements	99	4
9090845	O	Circuit breakers replacing fuses Does not apply to any 5-amp fuse box position. Breakers include Stop/Brake/Turn, Tail Lamp, High & Low Beams, Marker/Clearance Lamps, Horn, Fuel Heat, Gauges, Wipers, Air Dryer, HVAC Controls, Panel Lamps	27	0

Air Equipment

9101210	S	Air Dryer Bendix AD-IS heated	0	0
---------	---	--------------------------------------	---	---

Extended Warranty

9200022	S	Medium Duty Warranty	0	0
---------	---	-----------------------------	---	---

Miscellaneous

9490003	O	Additional lead time required for off highway & o r speciality component truck	0	0
---------	---	--	---	---

Paint

Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.

Printed:	4/28/2008 7:56:15 AM	Complete	Model Number:	T3 Series Conventional
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q60601083
Prepared by:	ID: Mike Pendleton		Version Number:	19.10



Data	Code	Description	\$ List	Weight
9700000	O	Paint Color Number N97020 A - P3257EB HARVEST GOLD N97200 FRAME N0001EA BLACK	0	0
9943119	S	IMRON solid 1 color non-sleeper Spec A	0	0
9965510	O	Base coat clear coat	431	0

Total Adjusted Price (W/O Freight & Warranty)	\$83,770
Freight Charge	\$1,650
Options Not Subject to Discount	\$0
Total Weight	10248#

Prices and Specifications Subject to Change Without Notice.

**Unpublished options may require review/approval.
Dimensional and performance data for unpublished options may vary from that displayed in PROSPECTOR.**

Printed:	4/28/2008 7:56:15 AM	Complete	Model Number:	T3 Series Conventional
Effective Date:	Jan 1, 2008		Quote/DTPO/CO:	Q60601083
Prepared by:	ID: Mike Pendleton		Version Number:	19.10